

## Appendix F Web Report

Table 1: 2014 Q1 (February 2014)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.515	3.130	3.462	2.314
pH (pH Unit)	9.01	7.73	7.47	8.81
<b>BTEX (µg/L)</b>				
Benzene	<1	2	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 2: 2014 Q2 (May 2014)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.487	3.081	3.355	2.250
pH (pH Unit)	9.46	7.76	7.73	8.37
<b>BTEX (µg/L)</b>				
Benzene	<1	2	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 3: 2014 Q3 (August 2014)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.556	3.127	3.443	2.265
pH (pH unit)	9.51	7.91	8.02	8.74
<b>BTEX (µg/L)</b>				
Benzene	<1	1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 4: 2014 Q4 (November 2014)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.495	3.064	3.337	2.266
pH (pH Unit)	9.41	7.85	8.43	8.63
<b>BTEX (µg/L)</b>				
Benzene	<1	1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 5: 2015 Q1 (February 2015)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.438	3.010	3.387	2.295
pH (pH Unit)	8.33	7.71	8.44	8.67
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 6: 2015 Q2 (May 2015)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.309	2.878	3.129	2.155
pH (pH Unit)	8.79	7.61	8.31	8.29
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 7: 2015 Q3 (August 2015)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.530	3.133	3.389	2.244
pH (pH Unit)	9.39	7.68	8.57	8.29
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 8: 2015 Q4 (November 2015)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.543	3.153	3.475	2.274
pH (pH Unit)	9.37	7.59	8.71	8.62
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 9: 2016 Q1 (February 2016)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	3.420	3.010	3.300	2.165
pH (pH Unit)	9.34	7.58	8.04	8.39
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 10: 2016 Q2 (May 2016)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	2.890	2.420	3.320	2.240
pH (pH Unit)	9.28	7.59	8.00	8.08
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 11: 2016 Q3 (August 2016)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	2.918	2.485	3.430	2.210
pH (pH Unit)	9.74	7.64	8.20	8.56
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 12: 2016 Q4 (November 2016)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	2.840	2.350	3.400	2.242
pH (pH Unit)	8.77	7.47	8.06	8.23
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 13: 2017 Q1 (February 2017)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	2.920	2.440	3.430	2.032
pH (pH Unit)	9.21	7.44	8.01	7.91
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 14: 2017 Q2 (May 2017)

Analyte	MW01	MW02	MW03	MW04
Standing Water Level (m)	2.892	2.445	3.361	2.250
pH (pH unit)	9.24	7.57	7.88	8.03
<b>BTEX (µg/L)</b>				
Benzene	<1	<1	<1	<1
Ethylbenzene	<2	<2	<2	<2
Toluene	<2	<2	<2	<2
Xylene (o)	<2	<2	<2	<2
Xylene (m&p)	<2	<2	<2	<2
<b>TRH (µg/L)</b>				
C6-C10	<20	<20	<20	<20
C10 - C16	<100	<100	<100	<100
C16 - C34	<100	<100	<100	<100
C34 - C40	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100

Table 15: 2017 Q3 (August 2017)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	2.968	2.500	3.535	2.319	3.838	2.868	3.762	2.859	2.854
pH (pH Unit)	9.19	7.64	8.05	8.28	8.90	10.0	8.86	7.01	7.86
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	1	16000	8
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	6	725	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	<50	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	113	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	18200	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	20400	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	6800	130
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	130
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	12000	<100

Table 16: 2017 Q4 (November 2017)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	2.995	2.578	3.520	2.340	3.870	2.900	3.720	2.630	2.800
pH (pH Unit)	9.27	7.65	8.03	8.09	8.97	8.93	9.15	6.97	7.95
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	16800	7
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	568	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	50	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	88	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	16600	<20
C10 - C16	300	<100	<100	<100	<100	<100	<100	12300	<100
C16 - C34	1610	<100	<100	<100	<100	<100	<100	4700	<100
C34 - C40	320	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	300	<100	<100	<100	<100	<100	<100	7600	<100

Table 17: 2018 Q1 (January 2018)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.010	2.470	3.406	2.350	3.880	2.910	3.720	2.480	2.740
pH (pH Unit)	9.11	7.66	7.93	8.23	8.51	9.15	8.93	7.05	9.11
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	6680	6
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	14	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	248	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	39	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	73	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	7840	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	5240	<20
C16 - C34	<100	<100	<100	<100	<100	<100	<100	1890	120
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	660	<100

Table 18: 2018 Q2 (May 2018)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	2.900	2.375	3.332	2.273	3.790	2.820	3.635	2.520	2.655
pH (pH Unit)	8.94	7.65	7.90	7.98	8.39	7.83	9.16	7.02	7.38
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	8130	2
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<20	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	433	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	61	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	112	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	10600	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	5640	<20
C16 - C34	<100	<100	<100	<100	<100	<100	<100	1450	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	420	<100

Table 19: 2018 Q3 (August 2018)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	2.920	2.480	2.660	2.245	3.795	2.840	3.650	2.560	2.660
pH (pH Unit)	8.98	7.48	7.92	7.94	8.82	7.79	9.20	7.04	7.86
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	10000	2
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	23	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	497	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	84	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	168	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	13800	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	10200	<20
C16 - C34	<100	<100	<100	<100	<100	<100	<100	4340	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	3340	<100

Table 20: 2018 Q4 (November 2018)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.450	2.470	3.400	2.350	3.850	2.890	3.650	2.530	2.740
pH (pH Unit)	9.36	7.55	7.88	8.06	8.47	8.91	9.01	7.08	7.93
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	6120	1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<20	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	325	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	58	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	111	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	7470	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	7150	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	2280	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	1510	<100

Table 21: 2019 Q1 (February 2019)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.420	2.540	3.460	2.400	3.910	2.948	3.770	2.520	2.810
pH (pH Unit)	9.22	7.43	7.80	7.80	8.59	8.25	8.80	6.66	7.12
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	18000	1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	984	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	101	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	250	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	19600	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	12600	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	4000	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	3920	<100

Table 22: 2019 Q2 (May 2019)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.470	2.530	3.470	2.380	3.900	2.930	3.790	2.720	2.970
pH (pH Unit)	9.18	7.45	7.92	8.11	8.53	8.10	8.91	6.92	7.50
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	20300	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	1140	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	128	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	332	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	23300	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	15300	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	7470	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	3000	<100

Table 23: 2019 Q3 (August 2019)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.502	2.610	3.460	2.380	3.860	2.920	3.740	2.900	2.775
pH (pH Unit)	8.91	7.14	7.81	7.82	8.70	8.56	9.57	6.87	7.80
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	14600	1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	724	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	76	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	169	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	15000	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	15200	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	6300	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	8140	<100

Table 24: 2019 Q4 (November 2019)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.470	2.570	3.480	2.370	3.880	2.920	3.738		2.775
pH (pH Unit)	8.83	7.36	7.76	8.08	8.76	8.61	9.21	6.76	7.33
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	15600	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	862	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	115	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	253	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	16200	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	12800	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	5920	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	2200	<100

Table 25: 2020 Q1 (February 2020)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.830	2.840	3.530	2.520	3.950	3.185	3.795		2.965
pH (pH Unit)	9.00	7.42	7.79	7.71	8.25	8.06	8.70	6.68	7.01
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	18600	2
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	1010	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	116	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	286	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	22300	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	20200	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	5910	150
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	10300	<100

Table 26: 2020 Q2 (May 2020)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.400	2.470	3.410	2.320	3.850	2.870	3.720	2.620	2.730
pH (pH Unit)	8.92	7.37	7.62	7.64	8.97	7.41	9.02	6.73	7.49
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	14000	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	710	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	85	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	223	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	13000	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	15600	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	5340	180
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	6530	<100

Table 27: 2020 Q3 (August 2020)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.420	2.450	3.290	2.270	3.760	2.800	3.590	2.670	2.630
pH (pH Unit)	9.06	7.47	7.74	7.73	8.86	7.61	9.11	7.02	7.96
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	6880	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<20	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	393	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	67	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	135	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	7270	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	11200	<100
C16 - C34	<100	<100	<100	<100	<100	150	<100	4100	150
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	3730	<100

Table 28: 2020 Q4 (November 2020)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.440	2.540	3.350	2.320	3.820	2.860	3.640	2.550	2.650
pH (pH Unit)	8.93	7.38	7.54	7.78	8.31	7.42	9.11	6.79	7.42
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	7050	1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<20	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	391	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	61	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	144	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	8060	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	8420	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	3000	100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	1670	<100

Table 29: 2021 Q1 (February 2021)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.40	2.490	3.370	2.280	3.780	2.820	3.610	2.480	2.640
pH (pH Unit)	9.08	7.60	7.61	7.78	8.48	7.03	8.00	7.00	8.00
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	4290	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<20	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	319	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	42	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	111	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	5340	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	6290	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	3660	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	110	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	1240	<100

Table 30: 2021 Q2 (May 2021)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.400	2.470	3.340	2.240	3.730	2.790	3.580	2.520	2.620
pH (pH Unit)	9.05	7.66	7.78	7.89	9.21	7.36	9.48	7.22	7.37
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	6560	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	312	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	52	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	84	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	8120	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	8460	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	3540	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	2870	<100

Table 31: 2021 Q3 (August 2021)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.470	2.580	3.430	2.290	3.785	2.835	3.640	2.635	2.885
pH (pH Unit)	8.79	7.55	7.77	7.74	8.80	7.66	9.73	7.05	7.91
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	11500	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	605	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	78	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	175	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	11500	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	12200	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	6880	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	5290	<100

Table 32: 2021 Q4 (November 2021)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.570	2.475	3.025	2.375	3.780	2.810	3.610	2.890	2.630
pH (pH Unit)	9.16	7.60	7.85	7.28	9.30	7.37	9.16	7.26	6.88
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	886	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<5	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	76	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	13	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	35	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	1040	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	1040	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	2240	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	120	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	<100	<100

Table 33: 2022 Q1 (February 2022)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.420	2.550	3.395	2.300	3.790	2.820	3.515	*	2.685
pH (pH Unit)	9.06	7.53	7.70	7.68	9.89	7.53	9.32	6.87	7.09
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	8860	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	621	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	77	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	183	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	9650	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	14700	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	6440	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	220	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	8140	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 34: 2022 Q2 (May 2022)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.380	2.380	3.230	2.220	3.490	2.745	3.540	*	2.570
pH (pH Unit)	8.96	7.43	7.77	7.67	8.27	7.47	8.99	6.99	7.12
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	8730	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	21	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	410	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	67	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	163	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	8870	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	8740	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	5840	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<280	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	3100	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 35: 2022 Q3 (August 2022)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.365	2.445	3.335	2.210	3.685	2.725	3.520	*	2.550
pH (pH Unit)	8.96	7.38	7.80	7.90	8.54	7.51	8.80	7.27	7.44
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	6140	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	29	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	276	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	60	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	107	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	6990	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	5610	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	2190	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	1170	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 36: 2022 Q3 (November 2022)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.395	2.465	3.350	2.270	3.750	2.805	3.590	*	2.630
pH (pH Unit)	8.94	7.54	7.57	7.47	8.93	7.93	9.55	6.98	7.38
BTEX (µg/L)									
Benzene	<1	<1	<1	<1	<1	<1	<1	9110	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	30	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	341	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	66	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	125	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	10000	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	8240	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	3740	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	2680	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 37: 2023 Q1 (February 2023)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.430	2.525	3.415	2.290	3.800	2.845	3.665	*	2.715
pH (pH Unit)	9.03	7.82	7.72	7.47	8.66	7.42	8.86	6.84	7.24
Benzene	<1	<1	<1	<1	<1	<1	<1	17000	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	788	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	85	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	220	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	20500	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	17600	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	8280	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	9040	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 38: 2023 Q2 (May 2023)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.370	2.430	3.020	2.250	3.760	2.780	3.615	*	2.610
pH (pH Unit)	9.07	7.84	7.89	7.86	8.94	7.64	8.84	7.27	7.39
Benzene	<1	<1	<1	<1	<1	<1	<1	3300	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	12	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	241	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	32	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	93	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	4620	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	3820	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	1420	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	<100	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 39: 2023 Q3 (August 2023)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.415	2.495	3.170	2.240	3.805	2.840	3.660	*	2.675
pH (pH Unit)	8.84	7.65	7.98	7.81	9.44	7.56	9.36	7.02	7.14
Benzene	<1	<1	<1	<1	<1	<1	<1	8000	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	32	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	250	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	72	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	185	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	10200	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	10600	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	3850	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	4780	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 40: 2023 Q4 (November 2023)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.47	2.56	3.425	2.36	3.87	2.905	3.725	*	2.765
pH (pH Unit)	8.96	7.97	7.82	7.87	8.26	7.56	8.66	6.94	7.25
Benzene	<1	<1	<1	<1	<1	<1	<1	10200	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	32	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	385	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	261	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	179	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	9530	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	9790	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	3560	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	4130	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 41: 2024 Q1 (February 2024)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.410	2.555	3.300	2.290	3.880	2.840	3.695	*	2.720
pH (pH Unit)	9.10	7.69	7.65	7.58	8.23	7.52	8.21	6.89	7.21
Benzene	<1	<1	<1	<1	<1	<1	<1	6180	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	347	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	54	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	132	<2
TRH (µg/L)									
C6-C10	<20	<20	<20	<20	<20	<20	<20	9330	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	5530	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	1060	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	460	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 42: 2024 Q2 (May 2024)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.34	2.48	3.03	2.215	3.71	2.73	3.525	*	2.55
pH (pH Unit)	8.45	7.69	7.93	7.64	7.93	7.67	8.67	*	7.58
Benzene	<1	<1	<1	<1	<1	<1	<1	6080	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	18	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	280	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	55	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	140	<2
C6-C10	<20	<20	<20	<20	<20	<20	<20	8300	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	1730	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	2240	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	2150	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 43: 2024 Q3 (Aug 2024)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.38	2.48	3.32	2.245	3.74	2.78	3.575	*	2.62
pH (pH Unit)	9.12	7.73	8.02	7.78	8.19	7.62	8.39	7.04	7.32
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	7020	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	245	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	82	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	151	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	9080	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	7800	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	3050	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	2100	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 44: 2024 Q4 (Nov 2024)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.43	2.57	3.38	2.295	3.785	2.83	3.635	*	2.67
pH (pH Unit)	9.13	7.89	7.90	7.81	8.21	7.76	8.52	6.80	7.43
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	10200	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	322	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	82	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	197	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	12700	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	8750	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	3360	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	1580	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 45: 2025 Q1 (Feb 2025)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.42	2.52	3.36	2.26	3.74	2.79	3.595	*	2.63
pH (pH Unit)	9.17	7.68	7.72	7.88	8.26	7.44	8.58	6.98	7.16
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	10800	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<50	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	500	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	75	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	178	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	12600	<20
C10 - C16	<100	<100	310	<100	<100	<100	<100	9870	<100
C16 - C34	<100	<100	<100	<100	<100	<100	200	4540	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	320	<100
C10 - C 16 - Naphthalene	<100	<100	310	<100	<100	<100	<100	4710	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 46: 2025 Q2 (May 2025)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	MW08	MW09
Standing Water Level (m)	3.285	2.370	3.020	2.175	3.670	2.675	3.570	*	2.480
pH (pH Unit)	8.96	7.82	7.96	7.59	8.41	7.28	8.25	7.57	7.13
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	2840	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	<20	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	246	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	40	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	106	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	4000	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	2860	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	2530	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	<100	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	<100	<100

\*Unable to gauge SWL due to viscosity of tar-like substance present in well.

Table 47: 2025 Q3 (August 2025)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	*MW08	MW09
Standing Water Level (m)	3.340	2.460	3.230	2.160	3.640	2.680	3.440	-	2.480
pH (pH Unit)	8.64	7.82	8.15	7.79	8.28	7.74	8.27	-	7.28
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	-	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	-	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	-	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	-	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	-	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	-	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	-	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	-	<100

\*MW08 was unable to be gauged or sampled

Table 48: 2025 Q4 (November 2025)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	*MW08	MW09
Standing Water Level (m)	3.415	2.490	3.340	2.260	3.745	2.790	3.605	-	2.640
pH (pH Unit)	8.83	7.96	7.74	8.03	7.98	7.84	8.53	-	7.43
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	-	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	-	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	-	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	-	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	-	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	-	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	-	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	-	<100

Table 49: 2026 Q1 (February 2026)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	*MW08	MW09
Standing Water Level (m)	3.450	2.540	3.400	2.310	3.805	2.855	3.670	-	2.710
pH (pH Unit)	8.92	7.75	7.67	7.71	7.89	7.44	8.54	-	7.06
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	-	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	-	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	-	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	-	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	-	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	-	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	-	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	-	<100

\*MW08 was unable to be gauged or sampled

Table 50: 2026 Q2 (May 2026)

Analyte	MW01	MW02	MW03	MW04	MW05	MW06	MW07	*MW08	MW09
Standing Water Level (m)	3.450	2.540	3.400	2.330	3.835	2.880	3.695	-	2.720
pH (pH Unit)	9.01	7.81	7.82	7.70	7.85	7.47	7.89		7.22
ug/L									
Benzene	<1	<1	<1	<1	<1	<1	<1	-	<1
Ethylbenzene	<2	<2	<2	<2	<2	<2	<2	-	<2
Toluene	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (o)	<2	<2	<2	<2	<2	<2	<2	-	<2
Xylene (m&p)	<2	<2	<2	<2	<2	<2	<2	-	<2
ug/L									
C6-C10	<20	<20	<20	<20	<20	<20	<20	-	<20
C10 - C16	<100	<100	<100	<100	<100	<100	<100	-	<100
C16 - C34	<100	<100	<100	<100	<100	<100	<100	-	<100
C34 - C40	<100	<100	<100	<100	<100	<100	<100	-	<100
C10 - C 16 - Naphthalene	<100	<100	<100	<100	<100	<100	<100	-	<100